

On the positive Pell equation $y^2=102x^2+33$

¹ K Meena, ² MA Gopalan, ³ V Sivaranjani

¹ Former VC, Bharathidasan University, Trichy, Tamil Nadu, India

² Professor, Department of Mathematics, SIGC, Trichy, Tamil Nadu, India

³ M. Phil Scholar, Department of Mathematics, SIGC, Trichy, Tamil Nadu, India

Abstract

The binary quadratic equation represented by the positive pellian $y^2=102x^2+33$ is analyzed for its distinct integer solutions. A few interesting relations among the solutions are given. Further, employing the solutions of the above hyperbola, we have obtained solutions of other choices of hyperbola, parabola and special Pythagorean triangle.

Keywords: binary quadratic, hyperbola, parabola, integral solutions, pell equation

Introduction

The binary quadratic equation of the form $y^2 = Dx^2 + 1$ where D is non-square Positive integer has been studied by various mathematicians for its non-trivial integral solutions when D takes different integral values [1-4]. For an extensive review of various problems, one may refer [5-20]. In this communication, yet another interesting hyperbola given by $y^2 = 102x^2 + 33$ considered and infinitely many integer solutions are obtained. A few interesting properties among the solutions are presented.

Method of Analysis

Consider the binary quadratic equation

$$y^2 = 102x^2 + 33 \quad (1)$$

Whose smallest positive integer solution is $x_0 = 2, y_0 = 21$,

To obtain the other solutions of (1), consider the pell equation $y^2 = 102x^2 + 1$ whose solution is given by

$$\tilde{x}_n = \frac{1}{2\sqrt{102}} g_n \cdot \tilde{y}_n = \frac{1}{2} f_n$$

Where,

$$f_n = (101 + 10\sqrt{102})^{n+1} + (101 - 10\sqrt{102})^{n+1}$$

$$g_n = (101 + 10\sqrt{102})^{n+1} - (101 - 10\sqrt{102})^{n+1}$$

Applying Brahamagupta lemma between (x_0, y_0) and $(\tilde{x}_n, \tilde{y}_n)$, the other integer solutions of (1) are given by

$$x_{n+1} = f_n + \frac{21}{2\sqrt{102}} g_n$$

$$y_{n+1} = \frac{21}{2} f_n + \sqrt{102} g_n$$

The recurrence relations satisfied by the solutions x and y are given by

$$x_{n+1} - 202x_{n+2} + x_{n+3} = 0$$

$$y_{n+1} - 202y_{n+2} + y_{n+3} = 0$$

Some numerical examples of x and y satisfying (1) are given in table (1) below

Table 1: Examples

n	x_n	y_n
0	2	21
1	412	4,161
2	83,222	8,40,501
3	1,68,10,432	16,97,77,041

From the above table, we observe some interesting relations among the solutions which are presented below

- (1) x_n values are always even.
- (2) y_n values are always odd
- (3) Each of the following expressions is a nasty number:

- $$\frac{(824y_{2n+2} - 4y_{2n+3} + 660)}{55}$$
- $$\frac{(42x_{2n+3} - 8322x_{2n+2} + 660)}{55}$$
- $$\frac{(16644y_{2n+2} - 816x_{2n+3} + 13332)}{1111}$$
- $$\frac{(16644y_{2n+3} - 168096x_{2n+3} + 132)}{11}$$
- $$\frac{(21x_{2n+4} - 840501x_{2n+2} + 66660)}{5555}$$
- $$\frac{(166444y_{2n+2} - 4y_{2n+4} + 133320)}{11110}$$
- $$\frac{(168y_{2n+3} - 336192x_{2n+2} + 26664)}{1111}$$
- $$\frac{(332888y_{2n+3} - 1648y_{2n+4} + 1320)}{110}$$
- $$\frac{(16644x_{2n+4} - 3362004x_{2n+3} + 1320)}{110}$$
- $$\frac{(84y_{2n+4} - 33954576x_{2n+2} + 2692932)}{224411}$$
- $$\frac{(3362004y_{2n+2} - 816x_{2n+4} + 2692932)}{224411}$$
- $$\frac{(16644y_{2n+4} - 33954576x_{2n+3} + 13332)}{1111}$$
- $$\frac{(3362004y_{2n+3} - 168096x_{2n+4} + 13332)}{1111}$$
- $$\frac{(3362004y_{2n+4} - 33954576x_{2n+4} + 132)}{11}$$

- (4) Each of the following expressions is a cubical integer:

- $81675(412y_{n+1} - 2y_{n+2}) + 27225(412y_{3n+3} - 2y_{3n+4})$
- $81675(21x_{n+2} - 4161x_{n+1}) + 27225(21x_{3n+4} - 4161x_{3n+3})$
- $3267(8322y_{n+2} - 84048x_{n+2}) + 1089(8322y_{3n+4} - 84048x_{3n+4})$
- $33326667(8322y_{n+1} - 408x_{n+2}) + 11108889(8322y_{3n+3} - 408x_{3n+4})$
- $33326667(42y_{n+2} - 84048x_{n+1}) + 11108889(42y_{3n+4} - 84048x_{3n+3})$
- $326700(166444y_{n+2} - 824y_{n+3}) + 108900(166444y_{3n+4} - 824y_{3n+5})$

- $370296300(7x_{n+3} - 280167x_{n+1}) + 123432100(7x_{3n+5} - 280167x_{3n+3})$
- $326700(8322x_{n+3} - 1681002x_{n+2}) + 108900(8322x_{3n+5} - 1681002x_{3n+4})$
- $13330666800(166444y_{n+1} - 4y_{n+3}) + 4443555600(166444y_{3n+3} - 4y_{3n+5})$
- $3267(1681002y_{n+3} - 16977288x_{n+3}) + 1089(1681002y_{3n+5} - 16977288x_{3n+5})$
- $33326667(8322y_{n+3} - 16977288x_{n+2}) + 11108889(8322y_{3n+5} - 16977288x_{3n+4})$
- $33326667(1681002y_{n+2} - 84048x_{n+3}) + 11108889(1681002y_{3n+4} - 84048x_{3n+5})$
- $1359728016867(42y_{n+3} - 16977288x_{n+1}) + 453242672289(42y_{3n+5} - 16977288x_{3n+3})$
- $1359728016867(1681002y_{n+1} - 408x_{n+3}) + 453242672289(1681002y_{3n+3} - 408x_{3n+5})$

(5) Relations among the solutions:

- $20y_{n+2} = x_{n+3} - x_{n+1}$
- $y_{n+3} = y_{n+1} + 2040x_{n+2}$
- $10y_{n+2} = 101x_{n+2} - x_{n+1}$
- $10y_{n+1} = x_{n+2} - 101x_{n+1}$
- $10y_{n+2} = x_{n+3} - 101x_{n+2}$
- $x_{n+2} = 101x_{n+3} - 10y_{n+3}$
- $y_{n+2} = 101y_{n+3} - 1020x_{n+3}$
- $y_{n+3} = 101y_{n+2} + 1020x_{n+1}$
- $101y_{n+2} = y_{n+1} + 1020x_{n+2}$
- $101y_{n+1} = y_{n+2} - 1020x_{n+1}$
- $110y_{n+3} = 1111x_{n+3} + 11x_{n+2}$
- $2020y_{n+1} = x_{n+3} - 20401x_{n+1}$
- $2020y_{n+3} = 20401x_{n+3} - x_{n+1}$
- $10y_{n+3} = 20401x_{n+2} - 101x_{n+1}$
- $10y_{n+1} = 101x_{n+3} - 20401x_{n+2}$
- $1111y_{n+3} = 11y_{n+2} + 11220x_{n+3}$
- $y_{n+1} = 20401y_{n+3} - 206040x_{n+3}$
- $20401y_{n+1} = y_{n+3} - 206040x_{n+1}$
- $101y_{n+3} = 20401y_{n+2} + 1020x_{n+1}$
- $20401y_{n+2} = 101y_{n+1} + 1020x_{n+3}$
- $1020x_{n+1} = 101y_{n+3} - 20401y_{n+2}$
- $224411x_{n+3} = 22220y_{n+3} - 10x_{n+1}$
- $224411y_{n+3} = 10y_{n+1} + 2266440x_{n+3}$

Remarkable Observations

i) Employing linear combinations among the solutions of (1), one may generate integer solutions for other choices of hyperbolas which are presented in the Table 2 below.

Table 2: Hyperbolas

S. No	(X, Y)	Hyperbolas
1	$\begin{pmatrix} 206x_{n+1} - x_{n+2} , \\ 21x_{n+2} - 4161x_{n+1} \end{pmatrix}$	$Y^2 - 408 X^2 = 108900$
2	$\begin{pmatrix} 41611x_{n+1} - x_{n+3} , \\ 7x_{n+3} - 280167x_{n+1} \end{pmatrix}$	$30603 Y^2 - 34 X^2 = 15109570225200$
3	$\begin{pmatrix} 8322x_{n+1} - 4y_{n+2} , \\ 42y_{n+2} - 84048x_{n+1} \end{pmatrix}$	$Y^2 - 102 X^2 = 44435556$
4	$\begin{pmatrix} 1681002x_{n+1} - 4y_{n+3} , \\ 42y_{n+3} - 16977288x_{n+1} \end{pmatrix}$	$Y^2 - 102 X^2 = 1812970689156$
5	$\begin{pmatrix} 166444x_{n+2} - 824x_{n+3} , \\ 8322x_{n+3} - 1681002x_{n+2} \end{pmatrix}$	$Y^2 - 102 X^2 = 435600$
6	$\begin{pmatrix} 42x_{n+2} - 824y_{n+1} , \\ 8322y_{n+1} - 408x_{n+2} \end{pmatrix}$	$Y^2 - 102 X^2 = 44435556$
7	$\begin{pmatrix} 8322x_{n+2} - 824y_{n+2} , \\ 8322y_{n+2} - 84048x_{n+2} \end{pmatrix}$	$Y^2 - 102 X^2 = 4356$
8	$\begin{pmatrix} 1681002x_{n+2} - 824y_{n+3} , \\ 8322y_{n+3} - 16977288x_{n+2} \end{pmatrix}$	$Y^2 - 102 X^2 = 44435556$
9	$\begin{pmatrix} 42x_{n+3} - 166444y_{n+1} , \\ 1681002y_{n+1} - 408x_{n+3} \end{pmatrix}$	$Y^2 - 102 X^2 = 1812970689156$
10	$\begin{pmatrix} 8322x_{n+3} - 166444y_{n+2} , \\ 1681002y_{n+2} - 84048x_{n+3} \end{pmatrix}$	$Y^2 - 102 X^2 = 44435556$
11	$\begin{pmatrix} 1681002x_{n+3} - 166444y_{n+3} , \\ 1681002y_{n+3} - 16977288x_{n+3} \end{pmatrix}$	$Y^2 - 102 X^2 = 4356$
12	$\begin{pmatrix} 21y_{n+2} - 4161y_{n+1} , \\ 412y_{n+1} - 2y_{n+2} \end{pmatrix}$	$102 Y^2 - X^2 = 11107800$
13	$\begin{pmatrix} 42y_{n+3} - 1681002y_{n+1} , \\ 166444y_{n+1} - 4y_{n+3} \end{pmatrix}$	$102 Y^2 - X^2 = 1812970684800$
14	$\begin{pmatrix} 8322y_{n+3} - 1681002y_{n+2} , \\ 166444y_{n+2} - 824y_{n+3} \end{pmatrix}$	$102 Y^2 - X^2 = 44431200$

ii) Employing linear combinations among the solutions of (1), one may generate integer solutions for other choices of parabolas which are presented in the Table 3 below.

Table 3: Parabolas

S. no	(X, Y)	Parabolas
1	$\begin{pmatrix} 206x_{n+1} - x_{n+2} , \\ 21x_{2n+3} - 4161x_{2n+2} + 330 \end{pmatrix}$	$55Y - 136 X^2 = 36300$
2	$\begin{pmatrix} 41611x_{n+1} - x_{n+3} , \\ 7x_{2n+4} - 280167x_{2n+2} + 22220 \end{pmatrix}$	$92574075 Y - 377740 X^2 = 4113991893000$

3	$\left(\begin{matrix} 8322x_{n+1} - 4y_{n+2}, \\ 42y_{2n+3} - 84048x_{2n+2} + 6666 \end{matrix} \right)$	$3333Y - 102 X^2 = 44435556$
4	$\left(\begin{matrix} 1681002x_{n+1} - 4y_{n+3}, \\ 42y_{2n+4} - 16977288x_{2n+2} + 1346466 \end{matrix} \right)$	$673233Y - 102 X^2 = 1812970689156$
5	$\left(\begin{matrix} 166444x_{n+2} - 824x_{n+3}, \\ 8322x_{2n+4} - 1681002x_{2n+3} + 660 \end{matrix} \right)$	$55Y - 17 X^2 = 72600$
6	$\left(\begin{matrix} 42x_{n+2} - 824y_{n+1}, \\ 8322y_{2n+2} - 408x_{2n+3} + 6666 \end{matrix} \right)$	$1111Y - 34 X^2 = 14811852$
7	$\left(\begin{matrix} 8322x_{n+2} - 824y_{n+2}, \\ 8322y_{2n+3} - 84048x_{2n+3} + 66 \end{matrix} \right)$	$33Y - 102 X^2 = 4356$
8	$\left(\begin{matrix} 1681002x_{n+2} - 824y_{n+3}, \\ 8322y_{2n+4} - 16977288x_{2n+3} + 6666 \end{matrix} \right)$	$3333 Y - 102 X^2 = 44435556$
9	$\left(\begin{matrix} 42x_{n+3} - 166444y_{n+1}, \\ 1681002y_{2n+2} - 408x_{2n+4} + 1346466 \end{matrix} \right)$	$673233 Y - 102 X^2 = 1812970689156$
10	$\left(\begin{matrix} 8322x_{n+3} - 166444y_{n+2}, \\ 1681002y_{2n+3} - 84048x_{2n+4} + 6666 \end{matrix} \right)$	$3333 Y - 102 X^2 = 44435556$
11	$\left(\begin{matrix} 1681002x_{n+3} - 166444y_{n+3}, \\ 1681002y_{2n+4} - 16977288x_{2n+4} + 66 \end{matrix} \right)$	$33 Y - 102 X^2 = 4356$
12	$\left(\begin{matrix} 21y_{n+2} - 4161y_{n+1}, \\ 412y_{2n+2} - 2y_{2n+3} + 330 \end{matrix} \right)$	$16830 Y - X^2 = 11107800$
13	$\left(\begin{matrix} 42y_{n+3} - 1681002y_{n+1}, \\ 166444y_{2n+2} - 4y_{2n+4} + 133320 \end{matrix} \right)$	$6799320Y - X^2 = 1812970684800$
14	$\left(\begin{matrix} 8322y_{n+3} - 1681002y_{n+2}, \\ 166444y_{2n+3} - 824y_{2n+4} + 660 \end{matrix} \right)$	$33660 Y - X^2 = 44431200$

iii) Consider $p = x + y, q = x$. Observe that $p > q > 0$. Treat P, q as the generators of the Pythagorean triangle $T(X, Y, Z)$,

where $X = 2pq, Y = p^2 - q^2, Z = p^2 + q^2$.

Let A and P denote the area and perimeter of the Pythagorean triangle.

Then the following interesting relations are observed:

- a) $X - 51Y + 50Z = -33$
- b) $52X - Z - \frac{204A}{P} = -33$
- c) $xy = \frac{2A}{P}$
- d) $53X - 51Y + 49Z - \frac{204A}{P} = -66$

Conclusion

In this paper, we have presented infinitely many integer solutions for the hyperbola represented by the positive pell equation $y^2 = 5x^2 + 4$. As the binary quadratic Diophantine equations are rich in variety, one may search for the other choices of positive pell equations and determine their integer solutions along with suitable properties.

References

1. Dickson LE, "History of Theory of Numbers", chelas publishing company, Vol-2, Newyork, 1952.
2. Mordel LJ, "Diophantine Equations", Academic press, Newyork, 1969.
3. Telang SJ. "Number Theory", Tata Mc Graw Hill Publishing Company limited, New Delhi, 2000.
4. David M. Burton., "Elementary Number Theory", Tata Mc Graw Hill Publishing Company Limited, New Delhi, 2002.
5. Gopalan MA, Vidhyalakshmi S, Devibala S. "On the Diophantine Equation $3x^2 + xy = 14$ ", Acta Ciencia Indica, - XXXIVM, No. 2007; 2:645-648.
6. Gopalan MA, Janaki G, "Observations On $y^2 = 3x^2 + 1$ " Acta Ciencia Indica, XXXIVM, No. 2008; 2:693-696.
7. Gopalan MA, Sangeetha.G. "A Remarkable Observation On $y^2 = 10x^2 + 1$ ", Impact Journal of Science and Technology, 2010; 4(1):103-106.
8. Gopalan MA, Vijayalakshmi R, "Observation On the integral solutions of $y^2 = 5x^2 + 1$ ", Impact Journal of Science and Technology. 2010; 4(4):125-129.
9. Gopalan MA, Sivakami B, "Observation On the integral solutions of $y^2 = 7x^2 + 1$ ", Antartica Journal of Mathematics, 2010; 7(3):291-296.
10. Gopalan MA, Yamuna RS, "Remarkable Observations On the binary quadratic equation $y^2 = (K^2 + 1)x^2 + 1$, $K \in Z - \{0\}$ " Impact Journal of Science and Technology. 2010; 4(4):61-65.
11. Gopalan MA, Vijayalakshmi R, "Special Pythagorean triangle generated through the integral solutions of the equation $y^2 = (K^2 - 1)x^2 + 1$ ", Antartica Journal of Mathematics, 2010; 7(5):503-507.
12. Gopalan MA, Srividhya G, "Relations among M-gonal Number through the $y^2 = 2x^2 + 1$ ", Antartica Journal of Mathematics. 2010; 7(3):363-369.
13. Gopalan MA, palanikumar R. "Observation On $y^2 = 12x^2 + 1$ ", Antartica Journal of Mathematics, 2011; 8(2):149-152.
14. Gopalan MA, VidhyalakshmiS, Usha Rani TR, Mallika S, "Observation on $y^2 = 12x^2 - 3$.", Bessel Journal of math, 2012; 2(3):153-158.
15. Gopalan MA, Vidhyalakshmi S, Umarani.J. "Remarkable observations on the hyperbola $y^2 = 24x^2 + 1$ ", Bulletin of Mathematics and Statistics Research, 2013; 1(1):9-12.
16. Gopalan MA, Vidhyalakshmi S, Maheswari D, "Observation on the hyperbola $y^2 = 30x^2 + 1$.", International Journal of Engineering Research. 2013; 1(3):312-314.
17. GeethaT, Gopalan MA, Vidhyalakshmi S, "Observation on the hyperbola $y^2 = 72x^2 + 1$ ", Scholars Journal of physics, Mathematics and statistics, 2014; 1(1):1-13.
18. Gopalan MA, Sivakami B, "Special Pythagorean triangles generates through the integral solutions of the equation $y^2 = (K^2 + 2K)x^2 + 1$ ", Diaphantus J.math. 2013; 2(1):25-30.
19. Gopalan MA, Vidhyalakshmi S, Sumithra S, Thiruniraiselvi, "Observation on the hyperbola $y^2 = 60x^2 + 4$.", IRT/ 1(1)1/2014; 119-121.
20. Gopalan MA, Vidhyalakshmi S, Usha Rani TR., Agalya.K., "Observation on the hyperbola $y^2 = 110x^2 + 1$.", nternational Journal of Multidispinary Research and development, 2015; 2(3):237-239.